New Zealand Department of Agriculture,
Industries, and Commerce.

THE

JOURNAL

OF

AGRICULTURE.

Published by direction of the
Right Hon. W. F. MASSEY, P.C., Minister of Agriculture,
Industries, and Commerce.

VOL. IX.

IMPERIAL BUREAU
26 NOV. 1921
OF MYCOLOGY

WELLINGTON.
BY AUTHORITY: JOHN MACKAY, GOVERNMENT PRINTER.

1915.

Digitized by the Internet Archive
in 2025

https://archive.org/details/new-zealand-journal-of-agriculture_1914_9_indexcontents

JOURNAL

OF

AGRICULTURE.

VOLUME IX.

GENERAL INDEX

A.

Adulteration of white-clover seed, 315.
Agricultural—
  Advancement in New Zealand, relation of the State to, 452.
  And Pastoral Statistics, 119.
  Scientists, Visit of, 29.
Agriculture abroad, 67.
Algaroba fodder-bean tree, 111.
America, lucerne in, 242.
American—
  And British agricultural scientists visit Australasia, 29.
  Beef-market, 163.
  British, and New Zealand agriculture, a comparison, 430.
  Creameries: how they use their by-products, 359.
  Meat-markets, 252.
  Standard apple-case, 82.
Analyses of soil and water, 349.
Animal nutrition and forage plants, 329.
Animals, hydatid affection of, 1.
Answers to correspondents, 105, 164, 219, 306, 394, 505.
Aphis-control, 396.
Apiary the, 91, 151, 202, 294, 379, 497.
  Building the hive, 296.
  Buildings, 91.
  Eliminating scum and manipulating for smooth-grained honey, 151.
  Hive-ventilation, 295.
  Honey, thick, 498.
  Nucleus colonies, formation of, 379.
  Queen-introducing, 497.
  Section honey, 498.
  Swarm-control, 294, 380.
  Young queens, 294.
Apple—
  And pear scab, 375.
  Case, American standard, 82.
  Culture, 223.
Apples—
  And pears, 81.
  Black-spot affecting, 116.
Area—
  In cultivation and in occupation in January, 1911, 511.
  In fruit-trees, 484.
  Of the Dominion, 511.
Arsenate of lead, mixing, 494.
Artichokes for pig-feeding, 115.
Artificial manures for the garden, 386
Argentine—
  And lucerne, 243.
  Dairy industry, 248.
Asparagus, 95, 206.
Autumn feed, 167.
Ayrshires, 466.

B.

Babcock method of testing cream, 190.
Bacon, 314.
Bacterized peat, 14.
Barley, 418.
  And tares, 415.
  And vetches, 508.
Barn and feed-shed for lucerne hay, 40.
Bean-seed production, 480.
Beans, 296, 387, 499.
Beef-market, America, 163.
Beef-animals, show prizes for, in Manitoba, 55.
Beekeeping in New Zealand, 485.
Bees—
  Dying, 225.
  In relation to fruitgrowing, 116.

Bird-lime, 110.
Black aphis, 310, 507.
Black-spot of apples and pears, 116.
Blackberry and goats, 219.
Blackberries, eradication of, 111.
Bladder-plum, 395.
Blight affecting—
  Peach-tree, 507.
  Potatoes, 41, 506.
  Tomato-plants, 311.
Bonus for improved method of dressing phormium-fibre, 262.
Bordeaux mixture, 225.
Borer in fruit-tree, 169.
Boronia, 225.
Bottomley's discovery *re* bacterized peat, 14.
Breeding-age in Holland, 361.
Breeding horses in New Zealand, 456.
Breeding sheep, 127, 438.
Breeds of poultry, new, 150.
Britain, Dominion's export to, 122, 515.
British—
  American and New Zealand agriculture: a comparison, 430.
  And American agricultural scientists visit Australasia, 29.
  Scientists: E. S. Bevan, 52.
  Sheep-scab order, 302.
Broad beans, 394.
Broccoli, 299, 387.
Bronze beetle, 287, 376.
Broom, 169.
Brussels sprouts, 387.
Buckwheat for ensilage, 508.
Buda kale, 226.
Bulbs, 391.
Burgoyne's Fife wheat: Ruakura and Moumahaki experience, 185.
Butter-market, California, 172.
Butter—
  Salting, 312.
  Selling through co-operative societies in Germany, 73.
Butter-fat—
  Production, estimating the probable annual increase of the heifer, 233.
  World's record production, 44.

C.

Cabbages, 95, 387.
Calf-rearing, 7, 117.
Californian—
  Butter-market, 172.
  Californian-thistle eradication, 343.
  Fruit colony, 35.
  Markets, 214.
Camellias, 300.
Cape gooseberry, 160.
Care of—
  Stallion, 107.
  Stock, 75.
Carnations and pinks, 501.
Carrots, 95, 159, 299.
  Experiments with, 235.
Caterpillar, leaf-roller, 338.
Cattle—
  Mortality among, 164.
  Young, scouring, 220.
Cauliflowers, 95, 159, 387.
Celery, 160, 206, 389, 499.
Cellar wine, 148.
Cereal tests at Ruakura, 183.
Cereals, 416.
Champion cow, the world's, May Rilma, 180.
Cheese, cool storage of, from London, viewpoint, 357
Cherry-leaf scorch, 81.
China: competition on San Francisco market, 305.
Chinese eggs at San Francisco, 104.
Chou moellier, 112.
Chrysanthemums, 207, 389.
Clover-seed (white), its adulteration, 315.
Club-root in swedes, 508.
Codlin-moth, 197, 287, 376.
Commercial—
  Beekeeping, 487.
  Chinese eggs at San Francisco, 104.
  Intelligence, 210, 303, 393, 503.
Comparative palatability of forage crops, 337.
Comparison of British, American, and New Zealand Agriculture, 430.
Concrete pipes, 222.
Consumption of fertilizers, 232.
Control of potato-blight, 41.
Cool storage of cheese, from London viewpoint, 357.
Cool stores for fruit, Government advance for establishing, 501.
Cooling milk, can for, 54.
Co-operative—
  Experiments, 429.
  Fruit-testing plots, 490.
  Societies in Germany for selling butter, 73.
Coprosma baueri, 168.
Cost of ocean carriage, 67.
Cow-manure, 309.
Cow-bails, 219.
Cow-peas, 221.
Cows, green feed for, 168, 314.
Cow-shed, 224.
  An up-to-date shed, 117.
Cow-testing associations, 468.
Creameries, American use of by-products, 359.
Crop of fruit, 101.
Cropping in orchard, 222.
Crops—
  For fodder, 170.
  Of the farm in New Zealand, 411.
  Two, of grain in a season, 49.
Cucumbers, 159, 300.
Culling—
  Can farmers cull the dairy herds without testing? 12.
  Should a heifer be culled on record made as a two-year-old? 184.

Cultivation of the orchard, 80.
Cupressus seed, 117.
Curd test: means of detecting impurities in milk, 244.
Curing hides, 313.
Currants, 97, 302.

D.

Dahlias, 97, 390.
Dairy breeds on yearly tests: development and prospects, 463.
Dairy-cow feeding, 111.
Dairy-farming, 106.
  In Switzerland, 345.
Dairy herds: can farmers cull intelligently without testing? 12.
Dairy industry, Argentine, 248.
Dairying problem, 105.
Dehorning-bail for cattle, 225.
Delphiniums, 390.
Demonstration work: a country with many problems to solve, 421.
Denmark, farming methods in, 283.
Deterioration of pastures, 30.
Diamond-backed moth, 308.
Disease—
  Of fruit-trees, 395 (see also under Pests and diseases of orchard).
  Of lemon-trees, 306.
  Of orchard, 493 (see also under Pests and diseases of orchard).
  Of peas, 309.
  Of pig, 107.
  Of tomatoes, 257.
  Of turnips, 112.
Distribution of lime, 34.
Dog: how it becomes infested with the worm, 3.
Dock-eradication, 166, 328.
Dominion's exports to Britain, 122.
Drill, 113.
  For lucerne, 170.
Ducks, 200.

E.

Egg-fertility, 308.
Egg-market, California, 214.
Eggs—
  Chinese, at San Francisco, 104.
  Profitable, 293.
Electricity: its influence on the production of poultry and eggs, 50.
Ensilage, buckwheat for, 508.
Eradication—
  Of blackberries, 111.
  Of docks, 166, 328.
  Of foxgloves, 110.
  Of sorrel, 507.
  Of weeds: Californian thistle, 343.
  Of white lily, 223.
Establishing a fruit-farm, 33.
Experimental and demonstration farms, 423.
Experiment with manures on pastures, 39.
Experiments with tomatoes at Lower Hutt, 255.
Export—
  Of apples, 140.
  Of fruit, 490.
  Of mutton and lamb for years 1905–14, 121.
  Of peaches from New Zealand to San Francisco, 503.
  Of stock, 126, 174, 228, 393, 510.
Exports—
  Of New Zealand: value and quantity, 512.
  To Britain, 122, 515.

F.

Fairy-ring on lawn, 505.
Fancy cheese, 395.
Farm, the—
  Care of stock, 75.
  Crops in New Zealand, 411.
  Cultivation work, 78.
Farm-work, 142, 194, 284, 372, 491.
Feeding the chicken, 149.
Feeding the dairy cow, 111.
Feeding-value of pastures, 39.
Feed-shed and barn for lucerne hay, 40.
Fencing, timber for, 118.
Fertility of eggs, 308.
Fertilization of pears, 314.
Fertilizer for potatoes, 310.
Fertilizers—
  Consumption of, 232.
  For turnips, 507.
  Importation into New Zealand, 353.
Fibre-market, 210, 303.
Flower-culture—
  Bulbs, 391.
  Carnations and pinks, 501.
  Chrysanthemums, 389.
  Dahlias, 97, 390.
  Delphiniums, 390.
  Half-hardy plants, sowing seed of, 98.
  Lilies, 99.
  Rhododendrons and camellias, 300.
  Sowing seeds, 300.
  Sweet peas, 97.
  Violets, 391.
Flower-garden, the, 97, 161, 207, 300, 389, 501.
Fodder—
  Crops, 170.
  For cows, 111.
Fodder-tree, Algaroba bean, 111.
Foot-mange of horse, 106.
Forage-crops, 413.
  Comparative palatability of, 337.
Forage plants and animal nutrition, 329.
Fowl and cow manure, 309.
Foxgloves, eradication of, 110.

Fruit—
Colony in California, 35.
Cool stores, Government advance for establishing, 501.
Co-operative testing plots, 490.
Crop, 101, 215.
Export of, 140, 490.
Importation of, 163.
Local market conditions, 102, 162, 217.
Marketing, 340.
Pre-cooling, 32.
Wine, 45.
Fruit-culture, 398.
Fruit-farm, 33.
Fruitgrowing, 114, 397.
Bees in relation to, 116.
Fruit-tree—
Borer, 169.
Disease, 395 (see also under Pests and diseases of orchard).
Grafting, 307.
French beans, 205.
Frost: effect of severe October frost, 361.
Fuchsias attacked by insect, 116.
Fungus diseases, 146, 196, 288 (see also under Pests and diseases of orchard).

G.

Gangrene of udder, 398.
Garden, the, 93, 156, 203, 296, 385, 498.
Artificial manures for, 386.
Flower-culture (see under F).
Small fruits (see under S).
Vegetable-culture (see under V).
Garlic, 96.
Germany: butter selling through co-operative societies, 73.
Glass for glass-houses or frames, 172.
Goats and blackberry, 219.
Gooseberries, 97, 302.
Grading returns, hemp and tow, 124, 173, 227.
Grafting fruit-trees, 307.
Grain—
Experiment in Germany, 66.
Two crops in a season, 49.
Grape-culture, 288, 377, 494.
Mealy bug, 378.
Red spider, 378.
Shanking, 378.
Grass—
In New Zealand, 411.
Land, top-dressing, 172.
Mixture, 506.
Grass-grub, 166.
Grassing, 224.
Grassing shingly land, 222.
Grass-seed outlook, 229.
Green feed, 226.
For cows, 168, 314.
For poultry, 293.
Green manure, 309.
Green-manuring, 113.
Lupins for, 115.
Mustard for, 110, 170.
Growth of lucerne, 140.
Grubs in tomatoes, 309.

H.

Hatching and rearing troubles in poultry-yard, 149.
Hay, 226, 399, 415.
Health: hydatids and meat-consumers, 2.
Hedge, macrocarpa, 115.
Heifer's butter-fat production, 233.
Heifers: mating young stock, 165.
Hemp and tow grading returns, 124, 173, 227.
Hemp industry, 100, 208, 392.
Hereditary transmission, 11, 218.
Hermosillo plum, 254.
Hides, skins, and tallow in London, 393.
Hive-building, 296.
Hive-ventilation, 295.
Holstein-Friesians, 464.
Honey—
Crop prospects, 103, 217.
Imported into United Kingdom, 52.
Its water-content, 278.
Horse affected with itch, 106.
Horse-breeding in New Zealand, 456.
Horticulture in New Zealand, 457.
Housing poultry, 90.
Hutiwai, 306.
Hydatids—
Avoidable by means of proper preventive measures, 1.
Effect of the disease, 4.
How human beings and the lower animals contract the disease, 4.
Preventive measures, 5.

I.

Importation—
Of fertilizers, 353.
Of fruit, 163.
Of meat into Switzerland, 118.
Of stock, 510.
Improved—
Methods of dressing phormium-fibre, 262.
Milk-can, 53.
Improvement of dairy herds, 12.
Improving lawn, 505.
Impurities in milk, means of detecting, 244.
Income trebled owing to *Journal*, 218.
Incubation, 497.
Incubator difficulties, 292.
Industry, the hemp, 100.
Influence of potash on rape, 250.
Internal commerce commission, need for, 68.
Ironbark pumpkins, 307.

J.

Japanese problems of country life, 248.
Jersey cattle for Ruakura, 13.
Jerseys, 463.
Jerusalem artichokes, 158.

K.

Kale, 299, 413.
Kumeras and sweet potatoes, 280.

L.

Lamb percentage, 397.
Lawn-grass trouble, 505.
Lawn, improving, 505.
Leaf-curl on roses, 309.
Leaf-roller caterpillar, 287, 338.
Leaf-spot, 307.
Leech, 376.
Leek, 205, 300.
Lemons, 81.
Lemon-tree disease, 306.
Lettuce, 95, 159, 300, 387.
Lice on calves, 397.
Lilies, 99.
Lime, 118.
  And gas-lime to eradicate sorrel, 66.
  Mechanical distribution of, 34.
Limestone, cheap, 328.
Lime-sulphur wash, 274.
Liming at Ruakura, 179.
Linseed, 305.
Liverpool port, handling facilities of, 304.
Live-stock—
  Exports and imports, 510.
  Stock in New Zealand, 509.
Lodi, the district of, for fruit colony, 35.
Loganberries, 97.
London market values, 123.
London position *re* hides, skins, and tallow, 393.
Lucerne, 108, 109, 220, 223, 261, 312, 415.
  Culture of lucerne, 167.
  Growth of lucerne, 140.
  Hay, barn and feed-shed for, 40.
  Seed, 171.
  Surface sowing of, 310.
  Use in America, 242.
  Use in Argentine, 243.
Lucerne-tree, 163.
Lupin, 400.
Lupins for green-manuring, 115.

M.

Macrocarpa hedge, 115.
Macrocarpa-trees, 313.
Maize, 414, 418.
  Trial of an early-maturing variety, 49.
Making wine, 308.
Mangels, 112, 416.
  At Ruakura, 176
Manufacture of wine, 45.
Manures, experiment to determine the influence on feeding-value of pastures, 39.
Manuring potatoes, 221.
Market condition of local fruit and vegetables, 102, 162, 217.
Market values, London, 123.
Marketing fruit, 340.
Markets, California, 214.
Marrows, 159, 300.
Mating young heifer, 165.
May Rilma, the world's champion cow, 180.
Mealy bug, 388.
Meat, importation of, into Switzerland, 118.
Meat-export works, 514.
Meat-markets in America, 252.
Mechanical distribution of lime, 34.
Melons, 159, 172, 300.
Milk-can, improved, 53.
Mixing arsenate of lead, 494.
Mortality among cattle, 164.
Moumahaki Experimental Farm—
  Burgoyne's Fife wheat, 185.
  Potato tests, 182.
  Swede tests, 368.
  Visitors, 55, 283.
Musky storksbill, 114.
Mussel scale, 81, 146.
Mustard for green-manuring, 110, 170.
Mutton and lamb, export of, for years 1905–14, 121.

N.

Nectarines and peaches, spraying of, 80.
Need for an International Commerce Commission, 68.
Neglect of fruit-trees, 311.
Netting fence for control of rabbit pest, 62.
New plum, 254.
New Zealand—
  A land of paradoxes, 455.
  Agriculture: relation of the State to advancement, 452.
  New Zealand, British, and American Agriculture: a comparison, 430.
  Display of wool at Panama Exposition, 48.
  Honey, water-content of, 278.
  Increasing her exportation, 484.
  Peaches: requirement of oversea markets, 277.
  Primitive vegetation, 401.
  Sheep-breeding, 438.
  Statistics, 437.
Nitrification, 14.
Nucleus colonies, formation of, 379.
Nursery stock for planting, 80.

O.

Oats, 166, 418.
  For green feed, 415.
Ocean carriage, cost of, and influence on price and the Home price of products, 67.
Onion-culture, 156.
Onion-mildew, 309.
Onions, 93, 387, 500.
Orchard, the, 79, 145, 196, 286, 375, 493.
  Apples and pears, 81.
  Cropping, 222.
  Cultivation, 80, 145, 375.
  Lemons, 81.
  Nursery stock for planting, 80.
  Pests and diseases (see under P).
  Planting, 79, 146.
  Pruning, 80.
  Spraying, 146.
  Spraying peaches and nectarines, 80.
Origin of New Zealand flora, 402.
Ovarian troubles in poultry, 292.

P.

Pakihi land, 219.
Panama Exposition: display of New Zealand wool, 48.
Parsley, 96.
Parsnips, 159, 205, 299.
Pasture, 167.
Pastures—
  Deterioration of, 30.
  Feeding-value of, 39.
Peach-aphis, 376.
Peach-tree affected with black aphis, 507.
Peaches—
  And nectarines, spraying of, 80.
  Export of, from New Zealand to San Francisco, 503.
  Requirements of oversea markets, 277.
Pears and apples, 81.
Pears—
  Black-spot, 116.
  Fertilization of, 314.
Pea and bean seed production, 480.
Peas, 95, 158, 298, 387, 499.
Peas and beans, 418.
Peat bacterized, 14.
Pennyroyal, 113.
Pests and diseases of orchard, 493.
  Aphis-control, 396.
  Apple and pear scab, 375.
  Black aphis, 310, 507.
  Bladder-plum, 395.
  Bronze beetle, 287, 376.
  Cherry-leaf scorch, 81.
  Cicada, 395.
  Codlin-moth, 197, 287, 376.
  Die-back fungus, 81.
  Fruit-tree borer, 169.
  Fungus diseases, 146, 196, 288.
Pests and diseases of orchard—*continued*—
  Leaf-roller caterpillar, 287, 338.
  Leech, 376.
  Locust, 395.
  Mealy bug and vines, 378.
  Mussel scale and red spider, 81, 146.
  Peach-aphis, 376.
  Red spider, 378.
  Scale insects, 286.
    Of citrus-fruit trees, 146.
    Of lemon, 306.
  Woolly aphis, 197.
Pests of loganberries, 396.
Phormium tenax, 482.
Phormium tenax fibre, improved method of dressing, 262.
  Relation of the fibre to some rival products, 210.
Pig, disease affecting, 107.
Pig-feeding, artichokes for, 115.
Pinks, 501.
Plans of a shearing-shed, 55.
Planting—
  Fruit-trees, 79.
  Orchard trees, 146.
  Shelter-trees, 169, 171.
Plum-tree management, 396.
Port of Liverpool: proposed improved handling-facilities for perishable products, 304.
Potash on rape, 250.
Potato—
  Manuring, 221.
  Storing, 506.
  Tests at Moumahaki, 182.
  Varieties, 170.
Potato-blight, 506.
  Control of, 41.
Potatoes, 418.
  Early varieties, 96.
Potato-fertilizer, 310.
Poultry—
  An expensive present-day leak, 382.
  Current problems, 87.
  Ducks, 200.
  Exhibition of utility stock, 150.
  Feeding the chicken, 149.
  Fighting vermin and disease and developing stock, 200.
  Green feed, 293.
  Hatching and rearing troubles, 149.
  Housing poultry, 90.
  Incubation, 497.
  Incubator difficulties, 292.
  Influence of electricity on eggs, 50.
  Injurious effect of salt, 382.
  Losses in chickens, 383.
  Losses in young stock, 496.
  New breeds, 150.
  Ovarian troubles, 292.
  Profitable egg, 293.
  Progress in New Zealand, 475.
  Scaly leg, 496.
  Selecting the breeder, 88.
  Treatment of the breeders, 89.

Poultry-yard, the, 87, 148, 199, 290, 380, 495.
Pulping strawberries, 313.
Pumpkins, 300.
Prairie-grass, 6.
Pre-cooling of fruit, 32.
Primitive vegetation of New Zealand, 401.
Production of pea and bean seed, 480.
Proof spirit, 371.
Prospects of honey crop, 103, 217.
Pruning fruit-trees, 80.

Q.

Qualified veterinary surgeons, 139.
Quarantine, stock in, 126, 174, 228, 393.
Queen-introducing, 497.

R.

Rabbit pest: control by effective fencing, 62.
Rabbit-proof fences, 64.
Radish, 159.
Rape—
  Manuring with potash, 250.
  Seeding, 309.
Raspberries, 97, 118, 500.
Rearing the calf, 7, 117.
Record, world's butter-fat production, 44.
Red beet, 300.
Red mite, 81.
Red spider, 146, 378.
Return (interim) of sheep, 120.
Rhododendrons, 300.
Rhubarb, 95, 298.
Ringworm, 400.
Root trials at Ruakura, 175.
Rotation of crops, 411.
Ruakura Farm of Instruction—
  Burgoyne's Fife wheat, 185.
  Jersey bull calves, 163.
  Jersey cattle for, 13.
  Root trials, 175.
Rugging cows, 248.
Russia shipping through Vladivostok, 214.
Russian competition on San Francisco market, 305.
Rust of celery, 396.
Rye-grass seed, 394.

S.

Sage, 96.
Sale (annual) of Weraroa bull calves, 371.
Salt in butter, 312.
San Francisco—
  Chinese eggs, 104.
  Export of peaches to, 503.
  Russian and Chinese competition on the market, 305.
  Trade with New Zealand, 125, 516.
Savoy, 299, 387.
Scalding of grapes and leaves, 378.
Scale insects, 146, 286.
Scaly leg of poultry, 496.
Scientists (agricultural) visit Australasia, 29.
Scouring in young cattle, 220.
Scum on honey, eliminating, 151.
Seakale, 206.
Seeding turnip and rape crops, 309.
Semi-official testing of dairy herds, 37, 135, 186, 267, 362.
Shallots, 96.
Shearing-shed plans, 55.
Sheep—
  Interim return of, 120.
  Number of, in Dominion, for years 1905–14, 121.
  Winter feed for, 106.
Sheep-breeding, 127.
  In New Zealand, 438.
Sheep-farming, 113.
Sheep-scab order of Britain, 302.
Shell lime, 313.
Shelter-tree planting, 169, 171.
Shelter-trees suitable for fencing-posts, 222.
Should a heifer be culled on record made as a two-year-old ? 184.
Show dates, 138, 218, 279, 361, 504.
Silver-beet, 414.
  Approved variety, 209.
  Experiments at Sunnyside, 220.
  Seed, 171.
Skins: London position, 393.
Small fruits—
  Cape gooseberry plants, 160.
  Gooseberries, 501.
  Gooseberries, currants, raspberries, and loganberries, 97.
  Gooseberry and currant bushes, 302.
  Raspberries and currants, 500.
  Strawberries, 82, 96, 302, 501.
  Strawberry-beds, 160.
Smooth-grained honey, 151.
Soil-analysis, 394.
Sorrel-eradication, 507.
  Liming to eradicate, 66.
Sowing flower-seeds, 301.
Soya bean, 261.
Spanish sulla tested at Ruakura, 133.
Specific gravity, 370.
Spinach, 387.
Spineless cactus, 167.
Splints, 400.
Spray for fruit-trees, 311.
Spraying-mixtures, 397.
Spraying—
  Orchard-trees, 146.
  Peaches and nectarines, 80.
  Tomatoes, 260.
  With lime-sulphur wash, 274
Sprays, question about, 505.
Stallion, care of, 107.
State farms as training centres, 426.
Statistics, agricultural and pastoral 119.
  New Zealand statistics, 509.

Stock—
Care of, 75.
Exported, 126, 174, 228, 393.
In quarantine, 126, 174, 228, 393.
Storing potatoes, 506.
Strangles, 165.
Strawberries, 82, 96, 160, 501.
Strawberry-beds, 302.
Strawberry pulp, 313.
Summer forage crops, 412.
Swarm-control, 294.
Swede tests: Moumahaki experiments, 368.
Swede turnips, 399.
At Ruakura, 178.
Swedes, 220.
Club-root in, 508.
Sweet-peas, 97.
Sweet potatoes, 280.
Sweet vernal, 506.
Swiss chard, 112.
Switzerland—
Dairy-farming: a triple-purpose breed of cattle, 343.
Importation of meat into, 118.
System of milking, 224.

T.

Tallow: London position, 393.
Tapeworm, appearance of, 3.
Tea-tree, 395.
Terms employed in wine analyses, 370.
Testing—
Cream by the Babcock method, 190.
Dairy herds: can farmers cull intelligently without? 12.
Semi-official, 37, 135, 186, 267, 362.
Tests (yearly) of dairy breeds: development and prospects, 463.
Thyme, 96.
Tilling of wheat, 31.
Timber, fencing, 118.
Tomato-blight, 311.
Tomato-culture, 255.
Tomato-plants, 206, 299.
Tomatoes, 160, 500.
Top-dressing grass land, 172.
Tow and hemp grading returns, 124, 173, 227.
Trade—
San Francisco with New Zealand, 125, 516.
Vancouver with New Zealand, 125, 516.
Training a vine under glass, 82.
Treatment of colt, 396.
Tree-lucerne, 163.
Tree-planting for shelter, 169, 171.
Triple-purpose breed of cattle, 345.
Turnip disease, 112.
Turnip-fertilizers, 507.
Turnip-seeding, 309.
Turnips, 95, 158, 300, 414.
For fattening, 310.
Two crops of grain in a season, 49.

U.

Up-to-date cow-shed, 117.
Utility-poultry exhibition, 150.

V.

Value of exports, 512.
Vancouver – New Zealand trade, 125, 516.
Vegetable-culture, 93, 158, 203, 296, 387, 498.
Asparagus, 95.
Asparagus and rhubarb, 500.
Broccoli, savoy, and Brussels sprouts, 387.
Cabbage, cauliflowers, and lettuce, 387.
Cabbages, 95.
Carrots, 95.
Carrots, parsnips, cauliflowers, lettuce, radish, marrows, pumpkins, cucumbers, and melons, 159.
Cauliflowers, 95.
Celery, 160, 389, 499.
Celery, seakale, asparagus, cabbage, cauliflower, and tomato plants, 206.
Early potatoes, 96.
Garlic and shallots, 96.
Leek, French beans, and parsnips, 205.
Lettuce, 95.
Lettuce, turnip, red beet, and leek, 300.
Lettuce, turnips, carrots, parsnips, and red beet, 500.
Onion-culture, 156.
Onions, 93, 387, 500.
Parsley, thyme, sage, and winter savoy, 96.
Parsnips and carrots, 299.
Peas, 95, 298.
Peas and beans, 499.
Peas, beans, and spinach, 387.
Peas, turnips, Jerusalem artichokes, 158.
Pumpkins, marrows, pie-melons, water-melons, rock-melons, and cucumbers, 300.
Questions on, 114.
Rhubarb, 95, 298.
Savoy, broccoli, and kales, 299.
Tomatoes, 160, 299, 500.
Turnips, 95.
Vegetables and fruit, local market conditions of, 102, 162, 217.
Vegetation of New Zealand, primitive, 401.
Vetches and barley, 508.
Veterinary surgeons, 105.
New Zealand list, 139.
Vine, training under glass, 82.
Vinehouse, the, 197.
Vinehouse and vineyard, 147.
Training a vine under glass, 82.

Vineyard, the, 86, 198.
Violets, 391.
Visitors—
To experimental farms, 52.
To Moumahaki, 55.
Viticultural industry, 272.
Viticulture in New Zealand, 488.
Vladivostok, Russia, shipping through 214.

W.

War: an appeal to farmers by the Prime Minister, 141.
Water-analyses, 394.
Water-content of New Zealand honey, 278.
Weraroa bull calves, sale of, 371.
Wheat, 416.
Burgoyne's Fife, 185.
Wheat for green feed, 415.
Wheat-growing, 506.
Wheat, tilling, 31.
White clover, 222.
White-clover seed: its adulteration, 315.
White lily, eradicating, 223.
Wine-analyses: terms employed, 370.
Winemaking, 308.
Wine-manufacture, 45.
Wine sales at Waerenga, 52.
Winter-feed for sheep, 106.
Forage crops, 414.
Savoy, 96.
Wool display of New Zealand at Panama Exposition, 48.
Woolly aphis, 116, 197.
Work—
For August, 75.
For December, 372.
For January, 491.
For November, 284.
For October, 194.
For September, 142.
World's record production of butter-fat, 44.
Worm, dog infested with, 3.

Y.

Yields, average field crops, 119
Young queens, 294.

ILLUSTRATIONS.

Southdowns in Winter at the Ruakura Farm of Instruction: Frontispiece. Page
Hydatids: *Taenia echinococcus* 3
Hereditary Transmission: Calf's Head, showing Earmark with which Calf was born 11
Dairy Herds: Waihi Beauty I, owned by Mr. J. Deacon, Manaia 13
Bacterized Peat, Illustrations of Professor Bottomley's Article on 15–27
Mechanical Distribution of Lime 34
Lucerne-hay Barn and Feed-shed 40
Potato-blight Control—
A 20-acre Field of Up-to-Date Potatoes, the Rows on the Right being unsprayed 41
A 30-acre Field of Gamekeeper Potatoes, sprayed three times .. 42
The Hoover Potato-digger 43
New Zealand's Display at Selfridge's Colonial Produce Exhibition, London .. 47
An Improved Milk-can—
The Improved Can 53
The Can used for cooling Milk 54
Battered Cans commonly in Use 54
Shearing-shed Plans 56–61
Rabbit-proof Fencing 64–66
Training Vines under Glass 84–85
Poultry—
The Strong Head 89
The Weak Head 89
Apiary Buildings 92
Grosse Calibasse Pear-tree at Ruakura Farm of Instruction: Frontispiece.
Sheep-breeding—
An English-bred Romney 130
A New-Zealand-bred Romney 131
Spanish Sulla at the Ruakura Farm of Instruction 134
Semi-official Testing of Dairy Herd—
The Jersey Cow, Pepper 136
The Holstein-Friesian Cow, Viola 137
The Apiary—
The Two ½-ton Granulating-tanks 153
The Outyard, showing Extracting-house built on the Gravitation Principle 153
Mr. J. Nicholas, with his Style of Twelve-frame Hive in Winter Quarters 154
Interior of Extracting-house, with Stove, "Severn" Melter, and Mixing-tank connected with Extractor 154
Spot, a member of Weraroa Holstein Herd: Frontispiece.
Root Trials at Ruakura—
One of the Mangel-clamps at the Ruakura Farm of Instruction .. 176
One End of the Big Clamp 176
Carting out the Ruakura Mangels 177
The World's Champion Cow, May Rilma 181
Burgoyne's Fife Wheat at Moumahaki 185
Semi-official Testing of Dairy Herds—
C. G. C. Dermer's Young Sybil (Jersey) 187
A. E. Wilkinson's Pepper (Jersey) 187
J. Deacon's Butter-girl (Holstein) 188
A. J. Gallichan's Diamond (Holstein) 188

Page
Testing Cream by the Babcock Method—
The Cream Scale 192
Reading Fat and Cream Tests 193
The Approved Variety of Silver-beet 209
Proposed New Zealand Pavilion for the Panama Pacific Exposition: Frontispiece.
Sutton's Magnum Bonum Carrot at Moumahaki Experimental Farm .. 236
Sutton's Matchless White Carrot at the Moumahaki Experimental Farm .. 238
Curd-testing Outfit 245
Horticultural Building at Panama Pacific Exposition 249
Semi-official Testing of Dairy Herds—
Ivy's Riotress 269
Pietertje Lassie 271
Annette V of Brundee 271
The Hydrometer 277
A Self-contained Apiary in the Pahiatua District 295
High-grade Sample of White Clover: Frontispiece.
White-clover Seed—
Sample of High-grade White Clover 317
White-clover Seconds 318
Sample of White Clover mixed with 35 per cent. Clover Seconds .. 319
Sample of White Clover adulterated with 25 per cent. Suckling Clover.. 320
Sample of White Clover adulterated with 25 per cent. of Clustered Clover 324
White Clover (*Trifolium repens*) 325
Suckling Clover (*Trifolium minus*).. 325
Clustered Clover (*Trifolium glomeratum*) 326
Small-flowered Clover (*Trifolium parviflorum*) 326
Leaf-roller Caterpillar on New Zealand Peaches at San Francisco 339
Dairy-farming in Switzerland—
A Four-year-old Bull of the Simental Breed 346
A Cow of the Simental Breed 347
An Alpine Dairy Farm 351
Semi-official Testing of Dairy Herds—
New Zealand's Champion Cow, Mr. J. Donald's Holstein Heifer, Netherland Princess IV 362
Mr. T. S. Edwardes's Jersey Cow, Sabean III, New Zealand's Second-best Mature Jersey 365
Mr. A. A. Ward's Jersey Heifer, Miro 365
Southern Beech (*Nothofagus*) Forest, Lee Valley, Nelson: Frontispiece.
Rain Forest, Southland, showing Close Growth of several Species of Ferns in the Foreground: Frontispiece.
The Spaniard (*Aciphylla Colensoi*), a Species belonging to the Endemic Element of the Flora 405
Tussock Steppe on Malven Hills, Canterbury 407
A Mangel Crop on the Farm of Mr. James Johns, North Canterbury .. 414
Planting Potatoes, Willowbridge, South Canterbury 417
A Canterbury Wheat-harvesting Scene.. 419
Members of the Holstein Herd of the Weraroa Experimental Farm .. 422
Ruakura Farm of Instruction in the Making 424
Ruakura Farm of Instruction at the Present Time 425
The Lecture and Sitting Room in the "Learners'" Quarters, Ruakura Farm of Instruction 427
Soft-cheese Making at the Weraroa Experimental Farm 428
A Ruakura Scene 429
Sheep-breeding in New Zealand—
The Canterbury Merino 439
A Corriedale Ram 440
A Scene at Shearing-time on a Back-country Sheep-farm 442
The New Zealand English Leicester 443
New Zealand Lincolns 444
The Romney Flock at the Weraroa Experimental Farm 445
Manawatu Romneys 447
Southdowns at the Ruakura Farm of Instruction 449
Border Leicesters 450
Taking the Clip to the Market 451
Horse-breeding in New Zealand 456
Maidenhair Fern grown in New Zealand by W. H. Taylor 459

Page
A Scene in Taranaki 462
Our Dairy Breeds on Yearly Test—
The Champion Butter-fat Cow of New Zealand, Mr. J. Donald's Netherland Princess IV 455
Madam Mayflower 467
Holland Queen 469
East Newton Beauty 473
The New Zealand White Leghorn of a Heavy-laying Strain 477
Carting in the Pea-seed Crop in Marlborough 481
A Drain in a *Phormium tenax* Swamp 483
Harvesting the Grapes at the Waerenga Experimental Farm 489
Apiary at the Ruakura Farm of Instruction 498
Grosse Calibasse Pear-tree at Ruakura Farm of Instruction 502